In re Appln of Rikiichi TAGAWA et al
Appln. No. 10/552,369
Preliminary Amd. dated April 2, 2010

Amendments to the Claims:

This listing of the claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Canceled)

2. (Previously presented) The process for preparing an albumin preparation wherein an albumin-containing solution is subject to a step of filtration with a virus-removing membrane before a step of heat treatment sufficient to inactivate virus in a liquid state;

wherein said process comprises treating the albumincontaining solution with an anion exchanger and/or a prefilter before a step of filtration with a virus-removing membrane.

3. (Previously Presented) The process for preparing an albumin preparation according to claim 2 wherein said virus-removing membrane used in a step of filtration with a virus-removing membrane has a pore size of 10 to 20 nm.

Claim 4 (Canceled).

5. (Previously presented) The process for preparing an albumin preparation of claim 2 comprising using said prefilter, wherein said prefilter has a pore size of 35 to 200 nm.

In re Appln of Rikiichi TAGAWA et al Appln. No. 10/552,369 Preliminary Amd. dated April 2, 2010

- 6. (Original) A process for pretreating an albumincontaining solution before a step of filtration with a virusremoving membrane which comprises treating said albumin-containing
 solution with an anion exchanger and/or a prefilter before a step
 of filtration of said albumin-containing solution with a virusremoving membrane.
- 7. (Original) The process for pretreating an albumin-containing solution of claim 6 wherein said prefilter used in said treatment has a pore size of 35 to 200 nm.

Claim 8 (Canceled).

Claim 9 (Canceled).

10. (New) A process for preparing an albumin preparation substantially free of virus, comprising

treating an initial albumin-containing solution with an anion exchanger and/or a prefilter, wherein the prefilter has a pore size 35 to 200 nm;

then subjecting the albumin-containing solution to filtration through a virus-removing membrane having a pore size of 10 to 20 nm; and

next heat treating the albumin-containing solution to inactivate any remaining virus.

In re Appln of Rikiichi TAGAWA et al Appln. No. 10/552,369 Preliminary Amd. dated April 2, 2010

- 11. (New) The process of claim 10 wherein, in the first step, the albumin-containing solution is treated with said anion exchanger.
- 12. (New) The process of claim 10 wherein, in the first step, the albumin-containing solution is treated with said prefilter.